



A vibrant tropical beach scene. In the foreground, a large, dark, textured rock formation on the left has a waterfall cascading into a clear, turquoise-blue swimming pool. The pool is surrounded by more rocks and lush green tropical foliage. In the background, several tall palm trees stand against a clear blue sky. The ocean is visible in the distance.

**MATERIAL SUBMITTALS AND PRODUCT
SPECIFICATIONS**

**Aquarius
BATHROOMS**




MEN'S BATHROOM



WOMEN'S BATHROOM

COLOR SCHEME



1. Wall Color: China White, Egg Shell Finish
2. Cabinetry: Satin Finish
3. Wall Trim, Moldings and Casings: Super White, Semi Gloss
4. Ceiling: Super White, Flat

FLOOR TILES FOR LOUNGE, STORE ROOM AND BATHROOM





- * Vita Elegante Grigio 6 in. x 24 in. Porcelain Floor and Wall Tile
- * Glazed smooth finish with a medium sheen and slight variation in tone
- * P.E.I. Rating IV has high resistance to abrasion and is suitable for heavy-duty residential and commercial floor
- * Impervious flooring has water absorption of less than 0.5% for indoor or outdoor use and is frost proof
- * C.O.F. greater than .60 to .79 is required for commercial applications to meet or exceed ADA, Skid Resistant
- * Completely frost resistant for indoor or outdoor applications
- * Colors may change as per the Designer requirements

PORCELAIN WALL TILES FOR THE SHOWERS





- * Grade 1, first-quality porcelain tile for floor, wall and countertop use
- * Glazed smooth finish with a low sheen and slight variation in tone
- * P.E.I. Rating III is suitable for medium-duty residential and commercial floors including kitchens, halls, terraces and areas used more often with normal footwear and small amounts of dirt
- * Impervious flooring has water absorption of less than 0.5% for indoor or some outdoor use and is frost proof
- * C.O.F. greater than .50 is recommended for standard residential and commercial applications
- * Completely frost resistant for indoor or outdoor applications
- * Residential and commercial use

PORCELAIN TILES FOR THE SHOWERS FLOOR AND STEAM SAUNA



- * Grade 1, first-quality ceramic tile for floor, wall, and countertop use

- * Glazed tile with a smooth surface, moderate variation and medium sheen
- * P.E.I. Rating IV has high resistance to abrasion and is suitable for heavy-duty residential and commercial floor installations such as entrances, commercial kitchens, hotels, exhibition and sales rooms with some dirt conditions
- * Vitreous flooring has water absorption of more than 0.5% but less than 3% for indoor use and some outdoor applications and is frost resistant
- * C.O.F. greater than .50 is recommended for standard residential applications and is marginally skid resistant
- * Indoor use
- * Not frost resistant
- * Residential and commercial use
- * Color may vary as per the designer requirements

MAPEI FLEXICOLOR CQ: #94 STRAW SANDED GROUT

- * Commercial Interior and Exterior Grade
- * For use in wet or dry conditions
- * Non-porous composition
- * Crack and shrink resistant
- * Mold and mildew resistant
- * No sealing required
- * Joint widths 1/8"
- * 14.8 lb. tub
- * Item #: 670287
- * Model #: 53901
- * Vendor: Lowes
- * Cost \$60.00
- * Floor: Straw Restrooms and Backsplash: Ivory



INTERIOR DOOR
SAUNA DOOR: Feather River Doors
30 in. x 80 in. Reed Smooth 1 Lite Primed MDF Interior Door Slab

- * Full lite safety tempered glass
- * Reed glass that is safety tempered
- * Primed and ready to paint
- * Ovolo sticking door profile
- * Prime advantage MDF veneers over an engineered core
- * MDF color is triple primed white
- * Door slab is not prepped for hinges or handle set
- * Door Size: 30"X80"X 1.375"
- * Warranty: 5 Years Limited



INTERIOR DOOR
CLOSET & STORE ROOM DOOR: Kimberly Bay Doors
24 in. x 80 in. Slid Core, Painted Bi-Fold Door

- * High quality vertical grain delivers best appearance and performance
- * Wide 2 in. (8 mm thick) decorative plates
- * Wood from environment friendly sustained yield forest
- * Hardware included

**INTERIOR DOOR
BATHROOM DOOR: Kimberly Bay Do
24 in. x 80 in. Slid Core, Painted Bi-Fold I**



- * Matching bi-folds also available
- * Trimmable allowance of 1/2 in. from door height and width (1/4 in. from each side)
- * 5-Year limited warranty

SCHLAGE LATITUDE SATIN CHROME

- * Guaranteed to fit on existing, standard pre-drilled doors
- * Use with 1-3/8 in. to 1-3/4 in. door thickness
- * Push-button locking provides additional privacy
- * Lever design pairs well with traditional styles like antique furniture as well
- * Finish coordinates nicely with satin nickel plumbing and lighting fixtures
- * Universal latches slide easily into place and require no tools or manual adjustment
- * Easy installation with Phillips screwdriver (sold separately)
- * Mounting hardware and pin key included
- * Available in other finishes
- * Contemporary Styling
- * Available as Passage, Keyed or Keyless



HEAVY DUTY ALUMINUM COMMERCIAL DOOR CLOSER

- * For heavy-duty interior commercial applications
- * Aluminum construction
- * For doors 44 - 188 lb.
- * 1 - 6 size adjustable spring tension
- * Adjustable latching and closing speeds
- * Meets ANSI grade 1 standards and ADA requirements
- * UL listed



DECORATIVE PENNY ROUND COLLECTION



- * Italian porcelain tile
- * Commercial Installation
- * 12" x 24" Textured Finish
- * Product Color: Tourmaline Penny
- * Vendor: Pro Source - Wholesale

- * Grade 1, first-quality glass/stone blend tile for wall use
- * Mixed finish with a mixed sheen and a slight variation in tone
- * P.E.I. Rating 0 is suitable for walls and residential or commercial use only
- * Impervious flooring has water absorption of less than 0.5% for indoor use
- * C.O.F. is not applicable to wall tile
- * Completely frost resistant
- * Residential and commercial use
- * Colors may vary as per the designer requirements



KOHLER TOP MOUNT BATHROOM SINK

- * 4 in. center faucet holes
- * Oval basin
- * Overflow drain
- * Vitreous china
- * Faucet set sold separately



KOHLER BATHROOM FAUCET

- * For single-hole installation or 4 in. centers with escutcheon (can be installed without plate)

- * KOHLER ceramic disk valves exceed industry longevity standards over two times for a lifetime of durable performance
- * Solid brass construction for durability and reliability
- * KOHLER finishes resist corrosion and tarnishing, exceeding industry durability standards over two times
- * Fluid design lines for ease of cleaning
- * High-temperature limit stop allows you to preset a comfortable maximum temperature to eliminate scalding
- * Handle pre-assembled on valves to simplify installation
- * Deck plate optional



KOHLER BATHROOM HIGHLINE CLASSIC

- * Elongated bowl offers added room and comfort
- * Comfort height feature offers chair-height seating
- * 1.28 GPF (gallons per flush)
- * Standard left-hand polished chrome trip lever included
- * Complete solution toilets provide everything you need
- * Supply line not included
- * Available exclusively at The Home Depot
- * Single-flush gravity uses the force of gravity and a

- * precision-engineered tank, bowl, and trapway
- * Class five flushing technology offers plug- and leak-free performance
- * extraordinary flushing, and better rinsing power for a cleaner bowl
- * Standard 12 in. rough-in 3-bolt installation
- * WaterSense toilets meet strict EPA flushing guidelines
- including using at least 20% less water than 1.6 Gal. toilets

COMMERCIAL GRADE DOUBLE TOILET PAPER HOLDER

The Electronic Touchless Paper Towel Dispenser is a no-touch, electronic, hardroll towel system for hands-free dispensing. Adjustable sheet length lets you set the towel length to 8 in., 11 in. or 13 in. Dispenser automatically advances a towel when a hand is placed under the front of dispenser. The second sheet reduction feature allows you to reduce the size of the second sheet. Adjustable time delay lets you set the number of seconds between uses. Translucent, smoked plastic design lets you know when a refill is needed without having to open the dispenser. Low-battery indicator signals when batteries should be replaced. Dispenser uses four standard alkaline batteries with a 6 to 12-month battery life. Dispenser also features a cover lock with key and stub roll feature.

- * Electronic, hands-free design
- * Adjustable sheet length
- * Quickly view when refill is needed
- * Low-battery indicator



COMMERCIAL GRADE HAND DRYER

- * Multi-port air nozzle delivers powerful yet efficient air speeds drying hands in only 15 seconds
- * Auto sensor provides touchless operation
- * Stainless steel construction adds style and elegance
- * Washable dual layer filtering system
- * Selectable speed settings allow you to control the speed of hand drying; set to HI for maximum drying speed; set to low for reduced noise, but slightly longer dry time
- * Selectable heating switch provides users with maximum comfort; set to on for warm dry air or off for cool dry air
- * Units ultra-quiet operation runs at only 78dB
- * Unit features both MET and IP24 safety approvals



COMMERCIAL GRADE SO₄

TFX Touch Free Dispenser, 1200ml, 6 in. W x 4 in. D x 10-1/2 in. H, Gray. Touch-free, trouble-free dispensing system. Automatically dispenses perfect amount of foam or gel sanitizer needed. 30,000 uses from three standard C-size alkaline batteries (Not included). Uses refills GOJ-5392-02 and GOJ-5456-04 (sold separately). Use with Sanitizing Station GOJ-2423-DS (sold separately). Capacity (Volume) [Nom]:1.200 Liters; Global Product Type: Soap Dispensers; Dispenser Type:

- * For Liquids;Holds:1,200 ml.
- * Touch-free, trouble-free dispensing system
- * Features a skylight with an extra large site window that makes it easy to see when it's time to refill
- * Automatically dispenses perfect amount of foam or gel sanitizer needed
- * 30,000 uses from three standard C-size alkaline batteries (Not Included)



COMMERCIAL GRADE TOILET PARTI

ASI Global Partitions Phenolic Black Core Outward Swing Partition Door w/ Hardware

ASI Global Partitions black-core or Color Thru phenolic partitions are the material of choice for commercial restrooms. These partitions are required. These partitions are fabricated to stand the test of time. The dense components, combined with stainless steel hardware, stand up to the most extreme conditions of moisture. Phenolic is impact and corrosion resistant, and does not

support bacteria. Phenolic partitions are decoratively faced on both sides as an integral part of a resin-impregnated kraft paper core. A wide range of colors provides limitless design flexibility

COMMERCIAL GRADE BATHROOM LIGHTING

The Hampton Bay 16 in. Round Flush Mount Brushed Nickel LED Light is designed to blend into any decor for a clean, fresh appearance and produce uniform diffused light. This ceiling light is environmentally friendly and Energy Star Listed. It uses just 25-Watt of power and produces a 90-Watt equivalent of light output.

- * Uniform light distribution
- * Brushed nickel finish
- * White diffuser
- * 1400 Lumen output
- * LED life: 50,000 hours
- * 120-Volt input
- * Dimmable with standard dimmer
- * Energy Star listed



- * Power input: 25-Watt
- * LED color: 4000K (bright white)

This LED light fixture from Hampton Bay features a low-profile design and high-quality illumination that is perfect for kitchens, laundry rooms, garages and basements. Compatible with a variety of dimmer switches, the fixture can be mounted on either a ceiling or wall to provide light anywhere you need it. The lightweight construction makes for easy installation, while the LED technology ensures long-lasting, energy-efficient service

- * 120-Volt dimmable fixture produces 5500 Lumens equivalent to four 32-Watt fluorescent tubes, using only 75-Watt of power
- * White acrylic diffuser/lens is perfect for kitchens, laundry rooms, garages and basements
- * Low-profile design measures 4 ft. L x 1.5 ft. W
- * Lightweight construction offers easy installation
- * Compatible with a variety of dimmers
- * Energy star and cUL rated



SAUNA WOOD

Cedar wood has a fine, straight grain and uniform texture. A cedar board is highly resistant to splitting caused by fasteners. It is free from pitch and its heartwood has natural decay resistance. The low density of Cedar wood gives an insulation value superior to most other species. Cedar Wood is Light weight, easy to work, easy to finish, possessing outstanding dimensional stability

Cedar Wood Color: Cedar wood most often shows a thin layer of sapwood that is light brown or cream in color. The heartwood is typically a red to deep reddish brown that often has accentuating tight knots

Cedar Wood Hardness: Cedar's Janka rating is 900

Cedar Wood Durability: What Cedar wood lacks in outright hardness, it compensates for with good shock resistance and structural stability

GRAB BAR

For maximum security it is recommended that bathrooms be equipped with grab bars in the shower and tub areas. Of course, depending on your needs, additional grab bars may be essential in other areas of your bath as well. Grab Bars featuring Moen's Secure Mount flange design, provide reinforced security and safety giving you peace of mind

- * Innovative flange design allows for secure installation into a stud at any angle
- * Supports up to 500 lbs when securely installed per instructions

- * Complies with ADA specifications
- * Limited lifetime warranty
- * Sizes: 18"-42"

HIGH QUALITY SHOWERS

The MOEN Adler 1-Handle Tub and Shower Faucet in Chrome offers simple elegance and practicality. This single-function fixture offers you design flexibility with a lever and knob as handle options from which you can choose. The chrome finish looks polished and neat, and blends seamlessly in with a wide range of other bathroom features. The Posi-Temp pressure-balancing valve helps promote comfort by maintaining the water pressure and temperature.

Includes the valve, tub spout, showerhead, optional knob, arm and flange

- * Shower head maximum flow rate of 2.0 GPM for efficient cleaning
- * Self-cleaning nozzles that help you maintain a clean and functioning fixture
- * Posi-Temp pressure-balancing valve that maintains water pressure and controls the temperature for a comfortable shower experience
- * Classic design that blends in easily with most decorating styles
- * WaterSense certified
- * 1/2 in. IPS connections
- * Chrome finish for a polished and clean look



* Limited lifetime manufacturer warranty